Page 1 of 4 MSDS # 126038003

# DRANO REGULAR STRENGTH CLOG REMOVER

	Date Issued: 28Jan1998			Supersedes: 18Jun1997				
S.C. Johnson & Son, Inc.			HAZARD RAT	ING HMIS	HAZARD			
1525 Howe Street Racine WI 53403-2236 Phone: (800) 428-4795 Emergency Phone: (888) 779-7920		4- 3- 2- 1-		3 0 1		2		
SECTION 1 -	PRODUCT	T IDENTIFICA	TION			<b></b>		
PRODUCT NAME	. No sign	nificant chang	es.	MOVER				
UPC SCJ	CODE QU	ANTITY	US SIZE		CANADIAN SIZE			
59200 00686 106 19800 00110 106	86 86	12 4	128 oz		900 ml 3.8 L			
SECTION 2 -								
INGREDIENT			WEIGHT%	EXPOSURE LIMIT/TOXICITY				
Water (CAS# 7732-18-5)			60 100	NOW BOOK DITCHED				
SECTION 3 -								
ROUTE(S) OF ENTRY EFFECTS OF ACUTE EXPOS EYE SKIN INHALATION INGESTION	. Eye con URE: . May can . May can	ntact. Skin co use: Eye damag use: Chemical	ntact. me. burns.					
INGESTION. MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE	. None k	nown.	ind digesti	ve tract.				
MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED	. None k	nown .						
MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE	FIRST AU  Flush : minutes	D MEASURES - nummediately wise. Seek immediately wi	th plenty o	of water for a l attention. of water for a	at least 15 to	20		
MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE	FIRST All  Flush: minute: minute: No spec Do not	D MEASURES of the state of the	th plenty of ate medical th plenty of ate medical nts.	of water for a l attention.  of water for a l attention.  attely drink 1	at least 15 to	20 20		
MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE  SECTION 4 - EYE CONTACT SKIN CONTACT	FIRST AII  Flush: minute . Flush: minute No spec Do not or mill	D MEASURES :  nummediately with the second immediately wit	th plenty of the control of the cont	of water for a l attention. of water for a l attention. ately drink 1 l attention.	at least 15 to at least 15 to -2 glasses of v	20 20 water		

Page 2 of 4

MSDS # 126038003

# DRANO REGULAR STRENGTH CLOG REMOVER

Supersedes: 18Jun1997 Date Issued: 28Jan1998

# SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----FLAMMABLE LIMITS..... Not applicable.

AUTOIGNITION..... Not applicable.

TEMPERATURE

EXTINGUISHING MEDIA... Foam. CO2. Dry chemical. Water foq

SPECIAL FIREFIGHTING . Fire fighters should wear self-contained breathing apparatus and

PROCEDURES protective clothing. UNUSUAL FIRE AND ..... No special hazards known.

EXPLOSION HAZARDS

------ SECTION 6 - PREVENTIVE RELEASE MEASURES ------

CASE MATERIAL IS RELEASED OR SPILLED

STEPS TO BE TAKEN IN... Absorb with oil-dri or similar inert material Sweep or scrape up and containerize. Rinse affected area thoroughly with water.

### ----- SECTION 7 - HANDLING AND STORAGE ------

PRECAUTIONARY..... INFORMATION STORAGE CONDITIONS

DANGER: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May burn skin and damage eyes, and mucous membranes on contact.

OTHER HANDLING AND.. .. Wash thoroughly after handling.

#### SECTION 8 - SPECIAL PROTECTION INFORMATION ------

RESPIRATORY PROTECTION. No special requirements under normal use conditions. VENTILATION..... No special requirements. PROTECTIVE GLOVES..... No special requirements under normal use conditions.

EYE PROTECTION..... No special requirements under normal use conditions. OTHER PROTECTIVE.... No special requirements.

MEASURES

### ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

COLOR..... Clear to Straw-colored

PRODUCT STATE.... Liquid. ODOR.... Bleach рН..... 11.5-13.4 SOLUBILITY IN WATER .... Complete SPECIFIC GRAVITY..... 1.11

(H2O=1)

VAPOR DENSITY (AIR=1) .. Same as water. EVAPORATION RATE (BUTYL Not available. ACETATE=1)

VAPOR PRESSURE (mm HG). Same as water. BOILING POINT..... > 200°F (> 93°C) FREEZING POINT....... < 32°F (< 0°C)
PERCENT VOLATILE BY.... Not available. VOLUME (%) VOLATILE ORGANIC..... Not available. COMPOUND (VOC)

THEORETICAL VOC..... Not available.

(LB/GAL)

Page 3 of 4

MSDS # 126038003

# DRANO REGULAR STRENGTH CLOG REMOVER

Date Issued: 28Jan1998	Supersedes: 18Jun1997
SECTION 10 - S	STABILITY AND REACTIVITY
STABILITYSTABILITY - CONDITIONS. TO AVOID	
INCOMPATIBILITY	CHEMICAL HAZARD: Never use or mix with other cleaners or chemicals. Avoid mixing with: Strong acids (eg., muriatic acid), Ammonia. Can react to give chlorine gas. If this occurs, leave area immediately. Do not return for half hour. Ventilate if possible.
HAZARDOUS DECOMPOSITION PRODUCTS	
HAZARDOUSPOLYMERIZATION	
HAZARDOUS POLYMERIZATION - CONDITIONS TO AVOID	Not applicable.
SECTION 11 - 7	TOXICOLOGY INFORMATION (Also See Section 3)
EFFECTS OF CHRONIC EXPOSURE	None known.
SECTION 12 - I	ECOLOGICAL INFORMATION
ENVIRONMENTAL DATA	Not available.
SECTION 13 - I	DISPOSAL CONSIDERATIONS
WASTE DISPOSAL INFORMATION	Waste from normal product use may be sewered to a public-owned treatment works (POTW) in compliance with applicable Federal/Provincial/ State/ Local/ Municipal pretreatment requirements.
SECTION 14 - 7	TRANSPORTATION INFORMATION
US DOT INFORMATION	Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.
SECTION 15 - H	REGULATORY INFORMATION
	product are listed or are excluded from listing on the U.S. Toxic (SCA) Chemical Substance Inventory.
This product is not subje	ct to the reporting requirements under California's Proposition 65.
SECTION 16 - 0	OTHER INFORMATION
ADDITIONAL INFORMATION. EPA REGISTRATION #	Not applicable.
PREPARATION	NINFORMATION
PREPARED BY	Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.

Page 4 of 4 MSDS # 126038003 DRANO REGULAR STRENGTH CLOG REMOVER

Date Issued: 28Jan1998 Supersedes: 18Jun1997

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE. 24Aug1999